

OFFICE OF THE PRIME MINISTER

Tel.: (061) 287 9111 Fax: (061) 234 296 PO Box 13338
WINDHOEK

Ref: 17/1/2/3/6

Enquiries: Eliazer N. Handjaba

Tel: +264 61 205 6214

25 July 2024

INTERNAL MEMORANDUM

TO: PROCUREMENT UNIT

SUBJECT: STANDARD SPECIFICATIONS SECURITY OPERATING SERVER

1. <u>APPROVAL</u>

- 1.1 The Office of the Prime Minister in accordance with its mandate as per the Revised IT Policy for the Public 2017 (Cabinet Decision No: 18th /24.10.17/001) has approved minimum standard specifications to be complied with by OMAs/RCs when purchasing computer equipment and related software.
- 1.2 The Public Procurement Act, (Act No. 15 of 2015), Public Procurement Regulations and Treasury Instructions should be adhered to.

2. SPECIAL TENDER CONDITIONS

- 2.1. All hardware and software tendered for should be delivered by the successful Bidder accompanied by their respective original documentation, including manuals and software media.
- 2.2. Bidders should indicate whether they are the manufacturers or accredited representatives in the Republic of Namibia for a manufacturer, or the direct importers (i.e. importing directly from the manufacturer) of items/models/brand-names tendered for. Bidders who are not the manufacturers or accredited representatives of the manufacturers or direct importers should submit with their tender for each item/model/brand-name tendered for, a firm commitment from their supplier that they are the authorised distributor of that particular item/model/brand-name.

- 2.3. All specifications listed are to minimum requirements. Deviations from minimum specifications and additional components should be clearly stated, motivated and explained in writing and should form part of the tender.
- 2.4. All delivered equipment and related software shall meet the minimum specifications. The hardware to be delivered shall be made available to an official of the Department: Public Service E-Government Management for inspection.
- 2.5. All delivered equipment and related software shall meet the minimum specifications. OMAs/RCs together with at least two (2) IT personnel shall inspect all the delivered equipment and related software to ensure that they comply with tender specifications. All non- compliant equipment and related software shall not be accepted.
- 2.6. All delivered equipment must be brand new; refurbished or second-hand equipment shall not be accepted.
- 2.7. Disk drive specifications have to be met without any compression software.
- 2.8. All equipment should be covered by a full part and labour warranty for three years after installation and commissioning, if not stated otherwise in the specifications.
- 2.9. Bidders shall include full technical specifications of the equipment offered, covering at least all features specified below. Statements claiming compliance with tender specifications, but not substantiated by manufacturer specifications, are not deemed sufficient for this purpose. The Procurement Board/ Procurement Unit reserves the right to disqualify any tender on the grounds of technical information not being provided with the tender before the closure of the tender.
- 2.10. All equipment and software offered shall constitute functional and operational units linked to the existing network. In particular, all required interfaces, cabling, and installation costs shall be included in the tender.
- 2.11. These conditions and specifications are in addition to and are to be read together with the Regulations of the Procurement Board and with instructions issued by the Board.
- $2.12.\ OMAs/RCs$ acquiring proprietary off the Shelf Software (e.g. Microsoft, Oracle, etc.) through

Tender shall ensure that:

- a) software is procured from a Certified Partner or authorised re-seller;
- b) acquired software has a valid Product Code;
- c) software is used in accordance with software license agreements; and
- d) keep an up to date register of the number of licenses acquired and installed.

Item	Description	QTY			R TENDERER TO COMPLETE
		11000	Ves	A CARLOS CONTRACTOR &	Deviation(if any)
Base	PowerEdge Rack 2U	1	1 63	110	Deviation(ii any)
- 332 3	Servers	1			
Trusted Platform	Trusted Platform	1			
Module	Module 2.0 V3	1			
Chassis	3.5" Chassis with up to 12	1			
	SAS/SATA Drives, LP				
	Adapter PERC 11, 1 or 2				
	CPU 3 YEAR PRO				
	SUPPORT				
Processor	Intel® Xeon® Silver	2			
1 TOCCSSOI	4310 2.1G,	2			
	12Core/24Threats,				
	10.4GT/s, 18M Cache,				
	Turbo, HT (120W)				
	DDR4-2666				
Processor	Heatsink CPU	2			
Thermal	configuration (CPU	-			
Configuration	greater than 165W)		-		
Memory	64GB RDIMM,	8			
	4800MT/s Dual Rank				
	Performance		İ		
	Optimized				
	4800MT/s RDIMMs				
Storage	600GB Hard Drive	2			
	SAS ISE 12Gbps 10k				
	512n 2.5in with 3.5in				
	HYB CARR Hot-Plug				
	8TB Hard Drive SAS	8			
	ISE 12Gbps 7.2K 512e	İ		ł	
	3.5in Hot-Plug, AG			İ	
Advanced System	Drive	1			
Advanced System Configurations	UEFI BIOS Boot Mode with GPT Partition	1			
Configurations	with OF Frantition				
Fans	High Performance Fan	6			
Power Supply	Dual, Fault Tolerant	1			
	Redundant (1+1),Hot-			- 1	
	Plug Power Supply				
	1400W, Mixed Mode				
Power Cords	C13 to C14, PDU				
	Style, 12 AMP, 13 Feet	2		ŀ	
	(4m) Power Cord,			ľ	
	South Africa				
	iDRAC9, Enterprise	1			
	16G				
OCP 3.0 Network	Broadcom 57454 Quad	1			
Adapters	Port 10GbE Base-T				
	Adapter, OCP NIC 3.0				

Bezel	PowerEdge 2U LCD	1		
	Bezel			
Boot Optimized	BOSS-N1 controller	1		
Storage Cards	card + with 2 M.2			
	960GB (RAID 1)			
	Quick Sync: No Quick			
	Sync			
Rack Rails	Ready Rails TM Static	1		
	Rails for 2/4-post			
	Racks			

MR. I-BEN NATANGWE NASHANDA EXECUTIVE DIRECTOR DATE: 30.07. 2024